

Rev. 0 02/2018




The **ATENA** couch is a three-section couch. The height can be adjusted electronically or hydraulically. This couch is suitable for physical therapy, massage therapy, and examination.



## **TECHNICAL SPECIFICATIONS**

Sections 3 Lateral offset 17 cm 65 or 80 cm Width Length 190 cm Max working load, evenly distributed 200 kg Height 45 - 90 cm Middle section angle With gas spring +20° Footrest angle With gas spring +75° Trendelenburg position + 20° Power supply 230 V 50/60 Hz 1,5A Actuator thrust 8000 N IP Code IP 66 Headrest angle - adjustable with gas spring  $+60^{\circ} - 20^{\circ}$ Breathing hole and bung as standard Weight 70 kg



#### **FISIOTECH SRL**



Rev. 0 02/2018

### ATENA COUCH MODELS

Description	Code	
Atena with foot pedal	111071	
Atena with all around foot bar switch	111072	
Atena – hydraulic	111073	
Atena LARGE with foot pedal	111081	
Atena LARGE with all around foot bar switch	111082	
Atena LARGE – hydraulic	111083	

# **HEIGHT ADJUSTMENT SYSTEMS**

Atena with 24V foot pedal



Atena with all around foot switch



Atena - hydraulic



#### **FISIOTECH SRL**



Rev. 0 02/2018

### **TECHNICAL SPECIFICATIONS - PADDING**

Name of material Reaction to fire class Density Height Polyurethane foam 1 IM (highest) 30 kg/m3 40 mm



# **TECHNICAL SPECIFICATIONS – UPHOLSTERY**



Origine ITALIA / Origin ITALY							
Caratteristiche Properties		Norma Norm	Unita' Units	Valori Values	Tolleranza Allowance		
Composizione spalmatura / Coating composition		100% PVC					
Resistenza a trazione	Long. Long.	- UNI EN ISO 1421	N/5cm	300	minimo minimum		
Tensile resistance	Trasv. Across		N/5cm	200	minimo minimum		
Allungamento a rottura	Long. Long.	- UNI EN ISO 1421	%	40	minimo minimum		
Ultimate elongation	Trasv. Across		%	145	minimo minimum		
Resistenza alla lacerazione	Long. Long.	- UNI EN ISO 4674 meth.B	N	20	minimo minimum		
Tear resistance	Trasv. Across		N	15	minimo minimum		
Solidità allo afregamento Colour fastness to rubblng		UNI EN ISO 105-X12 : 2003	Secco/Dry	4			
		Scala dei grigi / Grey scale	Umido/Wet	4			
Martindale		EN 13520 : ISO 12947 EN 13520 : ISO 12947		100.000			
Classe ignifugo Flame retardant norms	UNI	UNI 9175-CLASSE 1IM ISO 3795 BS 5852 FMVSS 302 UNI EN 1021-1/2 TB 117					
Formaldeide Formaldehyde			ESENTE				
Lavaggi Washability	Superficie lavabile con acqua e sapone neutro Surface washable with water and neutral soap						

# **UPHOLSTERY COLOURS**

When placing your order, please specify the upholstery colour.



#### **FISIOTECH SRL**

Operating Headquarters: Via Toniolo, 44/E-F - 31028 Vazzola (TV) - ITALY
Registered Office: Via Valdoni, 19 - 31013 Cimavilla di Codognè (TV) - ITALY
Tel. +39 0438470342 - Fax +39 0438478762 - mail: info@fisiotech.com - pec: fisiotech@dmailsec.it
VAT Number IT 03765100262 - Rea TV 296956



Rev. 0 02/2018

### **GENERIC OPTIONAL ACCESSORIES**

### Code 120020 FLOOR PAPER ROLL HOLDER

Paper roll holder for examination, massage therapy, and treatment couches.

Easy to move, powder-coated metal structure.

Dimensions: length 71 cm, width 25 cm, height 81 cm



#### Code 120040 COUCH COVER

Terry towel couch cover with elasticated hem. It is suitable for any 65 cm treatment and examination couch. Washable, blue fabric.

### Code 120050 COUCH COVER

Terry towel couch cover with elasticated hem. It is suitable for any 80 cm treatment and examination couch. Washable, blue fabric.



#### Code 120060 DOUBLE-PLY PAPER ROLL

6 rolls

Dimensions: width 60 cm - length 65 m.





Rev. 0 02/2018

### PROFESSIONAL SERIES OPTIONAL ACCESSORIES

### **Code 120010 PAPER ROLL HOLDER**

Metal structure to be placed under the final section of the couch.



### Code 121010 CASTORS

Four retractable castors to be used only to move the couch  $\varnothing$  60 mm.

